

	Hits	Search Text	DBs
1	1	(LCD near5 source near5 drive\$2) and (switch\$2) and ((odd and even) near5 drive\$2)	USPAT; US-PGPUB
2	2	(LCD adj source adj drive\$2) and (switch\$2) and ((odd and even))	USPAT; US-PGPUB
3	2	(LCD near7 source near7 drive\$2) and (switch\$2) and ((odd and even))	EPO; JPO; DERWENT; IBM_TDB
4	29	(LCD near7 source near7 drive\$2) and (switch\$2) and ((odd and even))	USPAT; US-PGPUB
5	46	(LCD near7 source near7 drive\$2) and (switch\$2) and ((input near8 (signal digital) near8 line\$2))	USPAT; US-PGPUB
6	0	(LCD near7 source near7 drive\$2) and (switch\$2) and ((input near8 (signal digital) near8 line\$2))	EPO; JPO; DERWENT; IBM_TDB
7	0	(LCD near7 source near7 drive\$2) and (switch\$2) and ((input near8 (signal digital) near8 drive adj4 through))	USPAT; US-PGPUB
8	129	(LCD near7 source near7 drive\$2) and (switch\$2) and (input near8 (signal digital))	USPAT; US-PGPUB
9	0	((LCD near7 source near7 drive\$2) and (switch\$2) and (input near8 (signal digital))) and drive-through	USPAT; US-PGPUB
10	24	((LCD near7 source near7 drive\$2) and (switch\$2) and (input near8 (signal digital))) and (odd and even)	USPAT; US-PGPUB
11	11	((LCD near7 source near7 drive\$2) and (switch\$2) and (input near8 (signal digital))) and (sequenti\$6 near6 connect\$4)	USPAT; US-PGPUB
12	66	((LCD near7 source near7 drive\$2) and (switch\$2) and (input near8 (signal digital))) and sequenti\$6	USPAT; US-PGPUB
13	139	(LCD near7 column near7 drive\$2) and (switch\$2) and (input near8 (signal digital))	USPAT; US-PGPUB
14	127	((LCD near7 column near7 drive\$2) and (switch\$2) and (input near8 (signal digital))) not ((LCD near7 source near7 drive\$2) and (switch\$2) and (input near8 (signal digital)))	USPAT; US-PGPUB
15	3	(LCD near7 (source column) near7 cascades\$3 near7 drive\$2) and (switch\$2) and (input near8 (signal digital))	USPAT; US-PGPUB

	Hits	Search Text	DBs
16	3	(LCD near7 (source column) near7 (cascad\$3 near7 drive\$2)) and (switch\$2) and (input near8 (signal digital))	USPAT; US-PGPUB
17	0	(LCD near7 (source column) near7 (cascad\$3 near7 drive\$2)) and (switch\$2) and (input near8 (signal digital))	EPO; JPO; DERWENT; IBM_TDB
18	3	(LCD near7 (source column) near7 (cascad\$3 near7 drive\$2)) and (switch\$2)	USPAT; US-PGPUB
19	3	(LCD near7 (source column) near7 (cascad\$3 near7 drive\$2))	USPAT; US-PGPUB
20	3	(LCD with (source column)) and (cascad\$3 adj drive\$2)	USPAT; US-PGPUB
21	0	(LCD with (source column)) and (cascad\$3 adj drive\$2)	EPO; JPO; DERWENT; IBM_TDB
22	2	LCD and (cascad\$3 adj drive\$2)	EPO; JPO; DERWENT; IBM_TDB
23	18	(LCD (liquid adj crystal adj device))and (cascad\$3 adj drive\$2)	USPAT; US-PGPUB
24	1	((LCD (liquid adj crystal adj device))and (cascad\$3 adj drive\$2)) not (LCD and (cascad\$3 adj drive\$2))	USPAT; US-PGPUB
25	2	LCD and (cascad\$3 adj drive\$2)	EPO; JPO; DERWENT
26	17	LCD and (cascad\$3 adj drive\$2)	USPAT; US-PGPUB
27	11	(LCD with (source digital) near9 drive\$3) and (cascad\$3 near9 drive\$2)	USPAT; US-PGPUB
28	13	(LCD with (odd even)) and (cascad\$3 near9 drive\$2)	USPAT; US-PGPUB
29	0	(LCD with (source digital) near9 drive\$3) and (cascad\$3 near9 drive\$2)	EPO; JPO; DERWENT; IBM_TDB
30	2	(LCD with (odd even)) and (cascad\$3 near9 drive\$2)	EPO; JPO; DERWENT; IBM_TDB
31	90	LCD and (cascad\$3 near9 drive\$2)	USPAT; US-PGPUB
32	19	(LCD near7 source near7 drive\$2) and (switch\$2) and (bit near9 (reversal order))	USPAT; US-PGPUB
33	6	(LCD near7 source near7 drive\$2) and (switch\$2) and (bit near9 (lsb msb))	USPAT; US-PGPUB
34	15	(LCD near7 source near7 drive\$2) and (switch\$2) and (bit near9 (odd even))	USPAT; US-PGPUB

	Hits	Search Text	DBs
35	0	(LCD near7 source near7 drive\$2) and (switch\$2) and (bit near9 (odd even))	EPO; JPO; DERWENT; IBM_TDB
36	0	(LCD near7 source near7 drive\$2) and (switch\$2) and (bit near9 (lsb msb))	EPO; JPO; DERWENT; IBM_TDB
37	1	(LCD near7 source near7 drive\$2) and (switch\$2) and (bit near9 (reversal order))	EPO; JPO; DERWENT; IBM_TDB
38	100	(source adj drive\$2) and (switch\$2) and (bit with (lsb msb))	USPAT; US-PGPUB
39	216	(source with drive\$2) and (switch\$2) and (bit with (reversal order)) and (odd and even) and (msb lsb)	USPAT; US-PGPUB
40	26	((source adj drive\$2) and (switch\$2) and (bit with (lsb msb))) and odd and even	USPAT; US-PGPUB
41	24	((source with drive\$2) and (switch\$2) and (bit with (reversal order)) and (odd and even) and (msb lsb)) and LCD	USPAT; US-PGPUB
42	0	5739805.pn. and (flexible with substrate)	USPAT; US-PGPUB
43	0	5739805.pn. and (flexible)	USPAT; US-PGPUB
44	0	6191772.pn. and (flexible)	USPAT; US-PGPUB
45	127	((LCD near7 column near7 drive\$2) and (switch\$2) and (input near8 (signal digital))) not ((LCD near7 source near7 drive\$2) and (switch\$2) and (input near8 (signal digital)))	USPAT; US-PGPUB
46	0	5680191.pn. and (flexible adj substrate)	USPAT; US-PGPUB
47	0	5680191.pn. and (flexible with substrate)	USPAT; US-PGPUB
48	1	5680191.pn. and (flexible)	USPAT; US-PGPUB